


SCHLUMBERGER WELL SURVEYING CORPORATION

HOUSTON, TEXAS



Electrical Log

COUNTY LAWRENCE FIELD or BILLET LOCATION 25-3N-12W WELL WILLIAM FINLEY NO. 1-A COMPANY PRUDENTIAL OIL INC.	COMPANY	PRUDENTIAL OIL, INCORPORATED			
	WELL	WILLIAM FINLEY NO. 1-A 2D			
	FIELD	BILLET			
	COUNTY	LAWRENCE	STATE	ILLINOIS	
	LOCATION	330'S 330'E NW, SW NE	Other Services: NONE		
Sec.	25	Twp.	3N	Rge.	12W

Permanent Datum: GROUND LEVEL	Elev.	466.6
Log Measured From KB 4	Ft. Above Perm. Datum	
Drilling Measured From KB 4' ABOVE GL	Elev.: K.B.	470.6
	D.F.	-
	G.L.	466.6

Date	1962	OCTOBER 15			
Run No.	ONE				
Depth—Driller	1828				
Depth—Logger	1827				
Btm. Log Interval	1826				
Top Log Interval	125				
Casing—Driller	8 5/8 @ 76	@	@	@	@
Casing—Logger	-				
Bit Size	7 7/8"				
Type Fluid in Hole	GEL				
Dens.	Visc.	-	37		
pH	Fluid Loss	-	- ml	ml	ml
Source of Sample	PIT				
R _m @ Meas. Temp.	4.0 @ 72 °F	@	°F	@	°F
R _{mf} @ Meas. Temp.	3.7 @ 72 °F	@	°F	@	°F
R _{mc} @ Meas. Temp.	- @ - °F	@	°F	@	°F
Source: R _{mf} R _{mc}	MP MP				
R _m @ BHT	3.5 @ 83 °F	@	°F	@	°F
Time Since Circ.	-				
Max. Rec. Temp.	83 °F				
Equip.	Location	2929	MT. C		
Recorded By	TURNER				
Witnessed By	WOLFE-SIDDENS				

ACKNOWLEDGED
NOV 13 1962

HOUSTON, TEXAS



Other Surveys

Location of Well

COUNTY No. 2574

SW SE NW

Elevation: D.F.:

K.B.: 472

or G.L.: 469

FILING No.

ACKNOWLEDGED

FEB 17 1961

122

SCHLEMBERGER

COUNTY LAWRENCE
FIELD or LAWRENCEVILLE S.
LOCATION SEC: 24-3N-12W
WELL PHILIPS LEWIS
NO. 5
COMPANY W. LEON WRIGHT

STATE ILLINOIS

or G.L.: 474

FILING No.

FEB 17 1961

SCHLUMBERGER WELL SURVEYING CORPORATION

HOUSTON, TEXAS



Induction-Electrical Log

COUNTY LAWRENCE
FIELD or LAWRENCEVILLE
LOCATION SEC: 24-3N-12W
WELL PHILIPS LEWIS
NO. 6
COMPANY W. LEON WRIGHT

COMPANY W. LEON WRIGHT

WELL PHILIPS LEWIS

NO. 6

FIELD LAWRENCEVILLE

LOCATION SEC: 24-3N-12W

COUNTY LAWRENCE

STATE ILLINOIS

Other Surveys

SONIC

Location of Well

SE SE NW ✓

COUNTY No. 2701

EST.

Elevation: D.F.: -

K.B.: 481

or G.L.: 478

FILING No. _____

RUN No.	ONE				
Date	1960 MAY 13				
First Reading	1653				
Last Reading	100				
Feet Measured	1553				
Csg. Schlum.	-				
Csg. Driller	40				
Depth Reached	1659				
Bottom Driller	1660				
Depth Datum	KB 3.0' ABOVE GL				
Mud Nat.	GEL				
Dens. Visc.	9.8 40				
Mud Resist.	2.4 @ 70 °F	@ °F	@ °F	@ °F	@ °F
" Res. BHT	1.97 @ 85 °F	@ °F	@ °F	@ °F	@ °F
Rmf M	2.7 @ 85 °F	@ °F	@ °F	@ °F	@ °F
Rmc M	2.8 @ 85 °F	@ °F	@ °F	@ °F	@ °F
" pH	@ °F	@ °F	@ °F	@ °F	@ °F
" Wtr. Loss	CC 30 min.	CC 30 min.	CC 30 min.	CC 30 min.	CC 30 min.
Bit Size	7 7/8 FROM 70 TO 1649 ; 7 5/8 FROM 1649 TO TD				
Spcgs.—AM	16"				
MN					
IND.	40"				
Opr. Rig Time	60 MIN.				
Truck No.	2808-MT. CARMEL				
Recorded By	PHILLIPS				
Witness	FISHER				

ACKNOWLEDGED

FEB 17 1961



Birdwell

Electric Log

COMPANY WAYNE SMITH, OPERATOR

E

WELL GEORGE LEIGHTY #25 CP

FIELD LAWRENCEVILLE SOUTH

COUNTY No. 6499...

COUNTY LAWRENCE STATE ILLINOIS

LOCATION:

380"N-380"W
SE/C-NE/4-NE/4 ✓

OTHER SERVICES:

SEC. 26 TWP. 3N RGE. 12W

PERMANENT DATUM GROUND LEVEL ELEV. 485'

LOG MEASURED FROM K. B., 3 FT. ABOVE PERM. DATUM

DRILLING MEASURED FROM KELLY BUSHING

ELEV. K.B. 488'

D.F. 485'

G.L. 485'

DATE	4-26-65				
RUN NO.	ONE				
DEPTH-DRILLER	1731'				
DEPTH-LOGGER	1731'				
BTM. LOG INTER.	1729'				
TOP LOG INTER.	800'				
CASING-DRILLER	8 5/8 21	@	@	@	
CASING-LOGGER					
BIT SIZE	7 7/8"				
TYPE FLUID IN HOLE	GEL				
DENS.	9.5	N.A.			
VISC.	N.A.	N.A.	ml	ml	ml
pH					
FLUID LOSS					
SOURCE OF SAMPLE	PIT				
Rm @ MEAS. TEMP.	5.0 @ 66 °F	@ °F	@ °F	@ °F	@ °F
Rmf @ MEAS. TEMP.	4.5 @ 64 °F	@ °F	@ °F	@ °F	@ °F
Rmc @ MEAS. TEMP.	2.4 @ 64 °F	@ °F	@ °F	@ °F	@ °F
SOURCE Rmf Rmc	PRESS PRESS				
Rm @ B.H.T.	4.1 @ 79 °F	@ °F	@ °F	@ °F	@ °F
TIME SINCE CIRC.	1.5 HOURS				
MAX. REC. TEMP.	79 °F	°F	°F	°F	°F
EQUIP. LOCATION	1659 ROB.				
RECORDED BY	D. MANION				
WITNESSED BY	L. SMITH				



Birdwell

TULSA
OKLAHOMA

Birdwell

Electric Log

W. C. McBRIDE, INC.
H. D. HINKLE #GG-36
26 - 3N - 12W

COMPANY W. C. McBRIDE, INC.

COUNTY No. 6280

WELL H. D. HINKLE #GG-36

FIELD BRIDGEPORT

COUNTY LAWRENCE STATE ILLINOIS

LOCATION:

635°N-50°E
SW/C-NW/4

OTHER SERVICES:

SEC. 26 TWP. 3N RGE. 12W

PERMANENT DATUM GROUND LEVEL ELEV. 474
LOG MEASURED FROM K. B. 5 FT. ABOVE PERM. DATUM
DRILLING MEASURED FROM KELLY BUSHINGELEV. K.B. 479
D.F.
G.L. 474

DATE	9-30-64				
RUN NO.	ONE				
DEPTH-DRILLER	1670				
DEPTH-LOGGER	1671				
BTM. LOG INTER.	1659				
TOP LOG INTER.	700				
CASING-DRILLER	8 5/8 @ 38	@	@	@	@
CASING-LOGGER	N.A.				
BIT SIZE	7 3/8				
TYPE FLUID IN HOLE	GEL				
DENS.	10	37			
VISC.					
pH	N.A.	N.A. ml	ml	ml	ml
FLUID LOSS					
SOURCE OF SAMPLE	PIT				
Rm @ MEAS. TEMP.	6.5 @ 66 °F	@ °F	@ °F	@ °F	@ °F
Rmf @ MEAS. TEMP.	4.4 @ 73 °F	@ °F	@ °F	@ °F	@ °F
Rmc @ MEAS. TEMP.	4.0 @ 73 °F	@ °F	@ °F	@ °F	@ °F
SOURCE Rmf Rmc	MEAS. MEAS.				
Rm @ B. H. T.	5.5 @ 88 °F	@ °F	@ °F	@ °F	@ °F
TIME SINCE CIRC.	1.5 HOURS				
MAX. REC. TEMP.	88 °F	°F	°F	°F	°F
EQUIP. LOCATION	1952 ROB.				
RECORDED BY	F. MALCOM				
WITNESSED BY	C. VACCARO				

ACKNOWLEDGED

DEC 14 1964